

# EBS-4U900

## Features

- Compatible with up to EEB Motherboards (30.5 cm x 33 cm)
- Supports 1 x 2.5" and 2 x 5.25" drive bays
- Pre-installed with 2 x 120mm fans and 2 x 80mm fans
- Optional support for 1 x 240mm water cooling radiator
- Flexible orientation for vertical or horizontal placement
- 7 full height PCIE expansion slots



## Specifications

Drive Bay	Storage	5 x 2.5" or 1 x 2.5" + 1 x 3.5" + 1 x 5.25" or 3 x 2.5" + 1 x 3.5" or 1 x 2.5" + 2 x 3.5" or 1 x 2.5" + 2 x 2.5"
	Chassis Fan	Front: 2 x 120mm Rear: 2 x 80mm
Cooling	Liquid cooling	1 x 240mm (Optional)
	LED Indicators	Power, HDD
Front I/O Interface	Connectors	1 x Audio 1 x MIC
	Accessible USB	1 x Type-C USB3.2 Gen 2x2 2 x Type-A USB3.2 Gen1
	Expansion Slot	7 x Full Height
Rear I/O Interface	Expansion Slot	7 x Full Height
Power Supply	Wattage	ATX PSU up to 1300W
Environment	Operating Temperature	0~40°C
	Non-Operating Temperature	-15~60°C
	Relative Humidity	10~95%@40°C, non-condensing
Physical Characteristics	Steel plate thickness of chassis bottom	1.2mm SGCC
	Dimension	430 x 468 x 176mm(WO/Handle), 430 x 500.85 x 176mm(W/Handle)
Certification	EMI & Safety	By Request

## Front View




- 1 x Type-C USB3.2 Gen 2x2
- 2 x Type-A USB3.2 Gen1
- 1 x Audio
- 1 x MIC
- 1 x Power Status LED
- 1 x HDD LED

## Rear View




- 2 x 80mm Chassis Fan
- 7 x Full Height Expansion Slot

## Inside View



## Dimensions

UNIT: mm



## Ordering Information

Model Name	Part number	Power Supply
EBS-4U900/PRO WS W790-ACE	90AE02T1*	ATX 1300W

\* The part number might vary for different regulations and package. Please consult the TPM in your region for exact 90PN.

## Packing List

Part Number	Description	Quantity
13020*	M.2 screw pack	1
14013*	SATA Cable	1
13AE0*	SYSTEM ACCESSORY	1